	≡ 7
0	وو
9	۳ 1
Ñ	
~	Ξ ία
8	*
_	7
	Ě

, 0								
Please type a plus sign (+) inside this box H Under the Paperwork Reduction Act of 1995, no persons are requi	ired to respon	Pate	ent and Tra	Approved for us demark Office:	se throu U.S. Di	igh 09/30/00. OMB EPARTMENT OF C	/05 (12/97) 0651-0032 OMMERCE trol number	: =
		Docket No.		35A0458		Total Pages		١
UTILITY	First Named Inventor or Application Identifier							
PATENT APPLICATION TRANSMITTAL	WALTER W. BUTLER						e E P	
(Only for new nonprovisional applications under 37 CFR 1.53(b))	Express Mail Label No. EJ794464313US						.s. (640	
APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application control	ents.	ADDI	RESS TO		nt Appli		ts 9/6	
1. Fee Transmittal Form (Submit an original, and a duplicate for fee processin	ıa)	6.	Microfich	ne Computer i	Progra	m <i>(Appendix)</i>	Ļ	F
2. Specification [Total Pages (preferred arrangement set forth below)	9]			l/or Amino Aci all necessary)		uence Submissio	on	
 Descriptive title of the Invention Cross References to Related Applications 		a.		Computer Rea	adable	Сору		l
- Statement Regarding Fed sponsored R & D		b.	ו 🔲 י	Paper Copy (i	dentica	al to computer co	ру)	ı
 Reference to Microfiche Appendix Background of the Invention 		c.		Statement ver	ifying i	identity of above	copies	l
- Brief Summary of the Invention			001104	NIVINO ADI		TION DADTO		┨
- Brief Description of the Drawings (if filed)		AC	CUIVIPA	INTING APP	LICA	TION PARTS		┨
- Detailed Description		8.	Assignr	ment Papers (cover	sheet & docume	nt(s))	ı
- Claim(s)		9.		3.73(b) State		Power of	f	ı
- Abstract of the Disclosure	4 1	10.	•	there is an ass Translation D		Attorney ent (if applicable)		ı
X Formal Informal	2]	11.	Informa	tion Disclosur ent (IDS)/PTC	e	Copies	of IDS	l
a. Newly executed (original or copy)		12.		nary Amendm				
b. Copy from a prior application (37 CFR	1.63(d))	13.		Receipt Posto				
[Note Box 5 below] DELETION OF INVENTOR(S)	sicical		(Should Small E	d be specifical Intity	-	<i>nized)</i> ent filed in prior a	application	
Signed statement attached de	-	14.	Stateme	ent(s) ====================================	Status	still proper and d		,
inventor(s) named in the prior a see 37 CFR 1.63(d)(2) and 1.33		15.		d Copy of Pric <i>gn priority is c</i>				ı
5. Incorporation By Reference (useable if Box 4b is	checked)	16.	Other:	Bibliograph		•		I
The entire disclosure of the prior application, fi copy of the oath or declaration is supplied und								l
is considered as being part of the disclosure of							*****	ı
accompanying application and is hereby incorpreference therein.	Joraled by							╽
17. If a CONTINUING APPLICATION, check appropria	ite box and	supply the	requisite	information:				1
Continuation Divisional Continuation	on-in-part (CIP) of	prior appli	cation No:				⅃
18. CORRE	SPONDEN	ICE ADD	RESS					1
Customer Number or Bar Code Label (Insert Custome	er No. or Attac	h bar code la	abel here)		Corresi	pondence address	below	
WESTERN DIGITAL CORPORATION	***************************************	1						┨

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

CALIFORNIA

(949) 932-5676

ZIP CODE

FAX

92618

(949) 932-5633

STATE

TELEPHONE

NAME

CITY

ADDRESS

COUNTRY

PLAZA 3

IRVINE

U.S.A.

Milad G. Shara, Esq. - Reg. 39,367 8105 IRVINE CENTER DRIVE

PTO/SB/17 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL

Note: Effective October 1, 1997. Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT

\$730.00

Complete if Known						
Application Number	UNKNOWN	Ì				
Filing Date	HEREWITH					
First Named Inventor	WALTER W. BUTLER					
Group Art Unit	UNKNOWN					
Examiner Name	UNKNOWN					
Attorney Docket Number	K35A0458					

METHOD OF PAYMENT (check one)	FEE CALCULATION (continued)						
The Commissioner is hereby authorized to charge	3. ADDITIONAL FEES						
1. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:	Large Entity Small Entity Fee	Fee Paid					
Deposit 22 1200	Code (\$) Code (\$)						
Account Number 23-1209	105 130 205 65 Surcharge - late filing fee or oath						
Deposit Account Name WESTERN DIGITAL CORPORATION	127 50 227 25 Surcharge - late provisional filing fee or cover sheet.						
	139 130 139 130 Non-English specification						
Charge Any Additional Fee Required Under 37 CFR 1.18 at the Mailing of the Notice of Allowance	147 2,520 147 2,520 For filing a request for reexamination						
	112 920* 112 920* Requesting publication of SIR prior to Examiner action						
2. Payment Enclosed: Check Money Other	113 1,840* 113 1,840* Requesting publication of SIR after Examiner action						
	115 110 215 55 Extension for reply within first month						
FEE CALCULATION	116 380 216 190 Extension for reply within second month						
1. FILING FEE	117 870 217 435 Extension for reply within third month						
Large Entity Small Entity	118 1,360 218 680 Extension for reply within fourth month						
Fee Fee Fee Fee Description Fee Paid	128 1,850 228 925 Extension for reply within fifth month						
Code (\$) Code (\$) 101 690 201 345 Utility filling fee 690.00	119 300 219 150 Notice of Appeal						
106 310 206 155 Design filing fee	120 300 220 150 Filing a brief in support of an appeal						
107 480 207 240 Plant filing fee	121 260 221 130 Request for oral hearing						
108 690 208 345 Reissue filing fee	138 1,510 138 1,510 Petition to institute a public use proceeding						
114 150 214 75 Provisional filing fee	140 110 240 55 Petition to revive - unavoidable						
SUBTOTAL (1) (\$) 690.00	141 1,210 241 660 Petition to revive - unintentional						
σσστοπια (τ) (ψ) σσστοσ	. 142 1,210 242 605 Utility issue fee (or reissue)	1					
2. CLAIMS Extra Fee from Fee Paid	143 430 243 215 Design issue fee						
Total Claims 8 -20 = 0 X 18 = 0.00	144 580 244 290 Plant issue fee						
Independent 2 - 3 = 0 X 78 = 0.00	122 130 122 130 Petitions to the Commissioner						
Multiple Dependent Claims X =	123 50 123 50 Petitions related to provisional applications						
	126 240 126 240 Submission of Information Disclosure Stmt						
Large Entity Small Entity Fee Fee Fee Fee Fee Description Code (\$) Code (\$)	581 40 581 40 Recording each patent assignment per property (times number of properties)	40.00					
103 18 203 9 Claims in excess of 20	146 690 246 345 Filing a submission after final rejection	10.00					
102 78 202 39 Independent claims in excess of 3	(37 ČFR 1.129(a)) 149 690 249 345 For each additional invention to be						
104 260 204 130 Multiple dependent claim	149 690 249 345 For each additional invention to be examined (37 CFR 1.129(b))						
109 78 209 39 Reissue independent claims over original patent	Other fee (specify)						
110 18 210 9 Reissue claims in excess of 20 and over original patent	Other fee (specify)						
SUBTOTAL (2) (\$) 0.00	*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$)	40.00					
SUBMITTED BY	Complete (if applic	able)					
Typed or Printed Name Milad G. Shara, Esq.	Reg. Number	39,367					
Signature A	Date Standard Deposit Account						

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Washington, DC 20231.

Inventor Information

Inventor One Given Name :: Walter W. Family Name :: Butler Name Suffix :: N/A

Postal Address Line One:: 35 Highland Avenue

Felton

CA

City :: State/Province ::

Country:: USA
Postal or Zip Code:: 95018
City of Residence:: Felton
Citizenship:: USA

Correspondence Information

Name Line One :: Milad G. Shara, Esq.

Name Line Two:: Western Digital Corporation

Address Line One :: Plaza 3

Address Line Two :: 8105 Irvine Center Drive

City :: Irvine
State/Province :: California
Country :: USA

Postal or Zip Code :: 92618
Telephone :: (949) 93

Telephone :: (949) 932-5676 Fax :: (949) 932-5633

E-Mail:: Milad.G.Shara@wdc.com

Application Information

Title Line One :: A DISK DRIVE COMPRISING A COVER SHAPED To IMPROVE RADIAL AND AXIAL SHROUDING

Total Drawing Sheets:: 4
Formal Drawings :: Yes
Application Type :: Utility

Application Type :: Utility
Docket Number :: K35A0458

Licensed - U S Government Agency :: N/A
Contract Number :: N/A
Grant Number :: N/A
Secrecy Order in Parent Application :: N/A

Representative Information

Representative Customer Number One:: Milad G. Shara, Esq.

Registration Number One :: 39,367

Representative Customer Number Two:: Howard H. Sheerin, Esq.

Registration Number Two:: 37,938

A DISK DRIVE COMPRISING A COVER SHAPED TO IMPROVE RADIAL AND AXIAL SHROUDING

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to disk drives for computer systems. More particularly, the present invention relates to a disk drive with improved shrouding.

Description of the Prior Art

A computer system usually includes one or more disk drives for economical, non-volatile data storage. FIG. 1 shows a typical prior art disk drive 100 which includes a housing formed by fitting a cover comprising an inner layer 102 and an outer layer 104 to a base 106 to create a sealed head disk assembly (HDA) chamber. The HDA includes one or more disks 108 stacked in a spaced-apart relationship on a spindle motor hub and rotated by a spindle motor (not shown). The disks 108 rotate in close proximity to a head 114 that is disposed by means of a head gimbal assembly (HGA) attached to one of a plurality of actuator arms 110.

The spindle motor includes a stationary element such as a fixed spindle shaft 116 affixed to the disk drive housing at the base and cover to define and stabilize a spindle axis about which a hub rotates the disks 108. A stator of the spindle motor, as well as bearings and seals, are secured between the fixed spindle shaft 116 and the rotating hub. The actuator arms 110 are part of a head stack assembly (HSA) that turns about a pivot bearing assembly by a voice coil motor (VCM) 112. The pivot bearing assembly includes a stationary element such as a pivot shaft that is fixed to the disk drive housing at the base and cover to define and stabilize a pivot axis for the HSA. Typically, the pivot shaft is rigidly coupled at the top to the cover and at the bottom to the base. The rigid attachment of the fixed spindle shaft and the pivot shaft fixes and stabilizes the relationship of the spindle axis and the pivot axis to control head positioning error. The actuator arms 110 move in response to energizing currents sent to the voice coil motor (VCM) 112 which

moves the HSA on the pivot axis, swinging the actuator 110 arms to move the associated heads 114 over the associated disk surfaces.

It is desirable to transfer data to and from disks 108 rapidly. The data transfer rate increases with spindle motor rotational speed. However, there are a number of problems associated with higher spindle motor rotational speeds. One problem is increased internal air turbulence in the HDA which can excite disk flutter modes, thereby setting up resonances that can cause the heads 114 to move off track during read and write operations. Proper centerline tracking is imperative for faithfully writing data to, and reading data from, the disks 108. Another problem associated with higher spindle motor rotational speeds is increased windage drag on the disks, thereby causing an increase in spindle motor current and elevated internal HDA temperature. Yet another problem associated with higher spindle motor rotational speeds is an increase in the acoustic noise radiated by the disk drive.

Shrouding the disks 108 can reduce internal air turbulence thereby attenuating disk flutter, windage drag, and acoustic noise. The prior art disk drive of FIG. 1 provides radial shrouding by molding the base 106 into a cylindrical form such that the disk 108 fits snugly within, leaving a very narrow gap between the spinning outer perimeter of the disks 108 and the inner surface of base 106. However, the radial shroud of the base 106 cannot extend into the gap 118 coextensive with the actuator arms 110 so that the HSA can be inserted into the base 106 during manufacture. When inserting the HSA, the actuator arms 110 are rotated such that they fit into the gap 118 without damaging the heads 114. The actuator arms 110 are then rotated to position the heads 114 over the disks 106. The air turbulence which forms in this gap 118 exacerbates the disk flutter, windage drag, and acoustic noise.

U.S. Patent 5,898,545 to Schirle discloses a separate shroud piece which is inserted into the gap 118 and connected to the base 106 after installing the HSA. The separate shroud piece comprises air flow vanes and cams to facilitate "ramp loading" the heads 114 during spin down. Although the separate shroud piece improves the shrouding over the prior art disk drive 100 of FIG. 1, it must be precisely machined and then precisely mounted into the base 106 in both the

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

axial and radial directions with respect to the disks 108 so as to protrude onto the disks 108 the correct distance. These precision manufacturing constraints increase the complexity and cost of the disk drive.

There is, therefore, a need to improve shrouding within a disk drive without incurring the complexity and expense of precisely machining and precisely installing additional components.

SUMMARY OF THE INVENTION

The present invention may be regarded as a disk drive with improved shrouding, comprising a disk, a spindle motor for rotating the disk, a head, an actuator arm for actuating the head radially over the disk, a base, and a cover attached to the base to form a head disk assembly chamber. The cover comprises an inner surface and an outer surface, and a shroud extending axially from the inner surface into the head disk assembly chamber substantially enveloping the periphery of the disk, including at least part of the periphery coextensive with the actuator arm, to provide radial shrouding of the disk.

In one embodiment, the cover further comprises a substantially C-shaped depression positioned substantially concentric over the disk to provide axial shrouding.

The present invention may be regarded as a method of manufacturing a disk drive with improved shrouding. A shroud is formed in a cover of a head disk assembly (HDA). A disk, a head, an actuator arm for actuating the head radially over the disk, and a motor for rotating the disk, are disposed into the HDA. The cover is attached to a base of the HDA such that the shroud substantially envelops the periphery of the disk, including at least part of the periphery coextensive with the actuator arm, to provide radial shrouding of the disk.

In one embodiment, the method of manufacturing the disk drive further comprises the step of forming a substantially C-shaped depression in the cover, the C-shaped depression positioned substantially concentric over the disk to provide axial shrouding.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a prior art disk drive wherein the base of a head disk assembly (HDA) is formed around the periphery of the disk to provide radial shrouding, but does not extend into a

gap which facilitates installing the head stack assembly into the HDA during manufacturing.

FIG. 2 shows a disk drive according to an embodiment of the present invention comprising a head disk assembly (HDA) chamber for housing a head stack assembly and a disk. An HDA cover comprises an inner surface and an outer surface, and a shroud extending axially from the inner surface into the HDA chamber substantially enveloping the periphery of the disk, including at least part of the periphery coextensive with an actuator arm, to provide radial shrouding of the disk.

FIG. 3A shows further details of the shroud integrated with the cover of FIG. 2.

FIG. 3B shows a cover for an HDA according to an alternative embodiment of the present invention, wherein the cover comprises a substantially C-shaped depression positioned substantially concentric over the disk to provide axial shrouding of the disk.

FIG. 4 shows a cover for an HDA according to an alternative embodiment of the present invention comprising an inner layer and an outer layer, wherein the inner layer comprises a substantially C-shaped depression positioned substantially concentric over the disk to provide axial shrouding of the disk.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 2 shows a disk drive 120 according to an embodiment of the present invention comprising a disk 122, a spindle motor for rotating the disk 122, a head 124, an actuator arm 126 for actuating the head 124 radially over the disk 122, a base 128, and a cover 130 attached to the base 128 to form a head disk assembly (HDA) chamber. The cover 130 comprises an inner surface 132 (see FIG. 3A) and an outer surface 134. As shown in FIG. 3A, the cover 130 further comprises a shroud 136 extending axially from the inner surface 132 into the HDA chamber substantially enveloping the periphery of the disk 122, including at least part 138 of the periphery coextensive with the actuator arm 126, to provide radial shrouding of the disk 122.

The shroud 136 may be realized using any suitable means for extending a radial shroud from the inner surface 132 of the cover 130 such that the periphery of the disk 122 is substantially enveloped (including gap 138). In one embodiment, the shroud 136 is a separate

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

piece adhered to the inner surface 132 of the cover 130; for example, the cover may comprises a flat piece of metal and the shroud 136 an injection molded piece of plastic. Alternatively, the cover 130 may be completely form molded including to form mold the shroud 136. With injection or form molding, no additional components are installed during manufacturing to provide shrouding in the gap 138, nor is it necessary to precisely machine any such components, as with the prior art disk drive disclosed in U.S. patent No. 5,898,545 to Schirle.

FIG. 3B shows an alternative embodiment of a cover 130a for an HDA which, in addition to the shroud 136, further comprises a substantially C-shaped depression 140 positioned substantially concentric over the disk 122. The C-shaped depression 140 reduces the air volume in the HDA chamber relative to the surface of the disk 122 which provides axial shrouding in addition to the radial shrouding provided by shroud 136. The C-shaped depression 140 comprises depression extremities 142 and 144 that are formed in the cover 130a in such an orientation that, when the cover 130a is attached to the base 128, depression extremity 142 lies on one side of the actuator arm 126, and depression extremity 144 lies on the other side of the actuator arm 126. In this way, the depression 140 can be brought closer to disk 122, thereby displacing a larger volume of air while providing a gap to allow the actuator arm 126 to rotate and actuate the head 124 over the surface of the disk 122. As shown in FIG. 4, in one embodiment an outer layer 146 may be adhered to the cover 130a using a visco damping adhesive which attenuates acoustic noise emanating from the disk drive 120. And in yet another embodiment, a damping material (e.g., a metal having a tuned mass or compressed acoustic foam) is placed within the cavity formed by the C-shaped depression 140 and the outer layer 144 which further attenuates the acoustic noise.

A method of manufacturing a disk drive with improved shrouding according to one embodiment of the present invention comprises the step of forming a shroud 136 extending axially from an inner surface 132 of a cover 130. A head disk assembly (HDA) is disposed into a base 128 of an HDA chamber, wherein the HDA comprises a disk 122, a head 124, an actuator arm 126 for actuating the head 124 radially over disk 122, and a spindle motor for rotating the

disk 122. The cover 130 is attached to the base 128 of the HDA chamber such that the shroud 136 substantially envelopes the periphery of the disk 122, including at least part 138 of the periphery coextensive with the actuator arm 126, to provide radial shrouding of the disk 122. In one embodiment in which the shroud 136 is a separate piece, the method further comprises the step of adhering the shroud 136 to the inner surface 132 of the cover 130. In another embodiment, the method further comprises the step of form molding the cover 130; wherein the form molded cover 130 comprises the shroud 136. In yet another embodiment, the method further comprises the step of forming a substantially C-shaped depression 140 in the cover 130, the C-shaped depression 140 positioned substantially concentric over the disk 122 to provide axial shrouding.

Because the cover 130 is attached to the base 128 of the HDA chamber after placing the actuator arm 126 in gap 138 and rotating the actuator arm 126 to position the head 124 over the disk 122, the shroud 136 integrated with the cover 130 can extend into the gap 138 providing additional shrouding over the prior art disk drive of FIG. 1.

I CLAIM:

1

- 1 1. A disk drive with improved shrouding, comprising:
- 2 (a) a disk;
- 3 (b) a spindle motor for rotating the disk;
- (c) a head;
- 5 (d) an actuator arm for actuating the head radially over the disk;
- 6 (e) a base; and
- 7 (f) a cover attached to the base to form a head disk assembly chamber, the cover comprising:
- 9 an inner surface and an outer surface; and
- a shroud extending axially from the inner surface into the head disk assembly

 chamber substantially enveloping the periphery of the disk, including at least part

 of the periphery coextensive with the actuator arm, to provide radial shrouding of
 the disk.
- The disk drive as recited in claim 1, wherein the shroud is a separate piece adhered to the inner surface of the cover.
- The disk drive as recited in claim 1, wherein the cover is form molded and the form molded cover comprises the shroud.
- 1 4. The disk drive as recited in claim 1, wherein the cover further comprises a substantially
- 2 C-shaped depression positioned substantially concentric over the disk to provide axial
- 3 shrouding.

7

8

9

1

2

1

2

1

2

- 1 5. A method of manufacturing a disk drive with improved shrouding, comprising the steps of:
 - (a) forming a shroud extending axially from an inner surface of a cover;
- (b) disposing a head disk assembly into a base of a head disk assembly chamber, the head
 disk assembly comprising a disk, a head, an actuator arm for actuating the head
 radially over the disk, and a spindle motor for rotating the disk; and
 - (c) attaching the cover to the base of the head disk assembly chamber such that the shroud substantially envelops the periphery of the disk, including at least part of the periphery coextensive with the actuator arm, to provide radial shrou4ing of the disk.
 - 6. The method of manufacturing a disk drive as recited in claim 5, wherein the shroud is a separate piece, further comprising the step of adhering the shroud to the inner surface of the cover.
 - 7. The method of manufacturing a disk drive as recited in claim 5, further comprising the step of form molding the cover, wherein the form molded cover comprises the shroud.
 - 8. The method of manufacturing a disk drive as recited in claim 5, further comprising the step of forming a substantially C-shaped depression in the cover, the C-shaped depression positioned substantially concentric over the disk to provide axial shrouding.

A DISK DRIVE COMPRISING A COVER SHAPED TO IMPROVE RADIAL AND AXIAL SHROUDING

3

4

5

6

7

8

9

10

11

1

2

ABSTRACT OF THE DISCLOSURE

A disk drive with improved shrouding is disclosed. The disk drive comprises a disk, a spindle motor for rotating the disk, a head, an actuator arm for actuating the head radially over the disk, a base, and a cover attached to the base to form a head disk assembly chamber. The cover comprises an inner surface and an outer surface, and a shroud extending axially from the inner surface into the head disk assembly chamber substantially enveloping the periphery of the disk, including at least part of the periphery coextensive with the actuator arm, to provide radial shrouding of the disk.




FIG. 1 (Prior Art)





FIG. 2






FIG. 4

Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)

Declaration Submitted with Initial Filing

☐ Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

Attorney Docket Numbe	K35A0458
First Named Inventor	WALTER W. BUTLER
COMPLETE	IF KNOWN
Application Number	/ Unknown
Filing Date	Herewith
Group Art Unit	Unknown
Examiner Name	Unknown

As a below named inventor, I here	eby declare that:								
My residence, post office address, and citizenship are as stated below next to my name.									
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:									
A DISK DRIVE COMPRISING A COVER SHAPED TO IMPROVE RADIAL AND AXIAL									
SHROUDING									
the specification of which	(TEM)	- of the Invention)							
is attached hereto	(Title	e of the Invention)							
OR									
was filed on (MM/DD/YYYY)		as United	d States Applicat	ion Number or PC	T International				
Application Number	and wa	as amended on (MM/DD/Y	m		(if applicable).				
I hereby state that I have reviewed a	ind understand the	contents of the above ident	ified specificatio	n, including the clar	ms, as				
amended by any amendment specifi				TD 4 50					
I acknowledge the duty to disclose in	nformation which is	material to patentability as	defined in 37 CF	R 1.56.					
11)l.t fi	bdox 25 11 0 0	110(a) (d) or 265(b) of or	u faralan applia	ation(a) for notont	na inventorio				
I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of									
andificate or 265(a) of any DCT into	arnotional annicatio	in which decianated at lea	er one country :	omer man me umi	ied Siaies oi				
certificate, or 365(a) of any PCT into America, listed below and have also i or of any PCT international application	ernational application	on which designated at lea checking the box, any forei	st one country i	otner than the Onli r patent or inventor	ied Siaies oi				
certificate, or 365(a) of any PCT into	ernational application	on which designated at lea checking the box, any forei e before that of the applicat	st one country gn application fo ion on which pri	r patent or inventor ority is claimed.	r's certificate,				
certificate, or 365(a) of any PCT into America, listed below and have also i or of any PCT international application Prior Foreign Application	ernational application dentified below, by the having a filing date	on which designated at lea checking the box, any foreing before that of the applicate Foreign Filing Date	st one country i	r patent or inventor ority is claimed. Certified Copy	r's certificate,				
certificate, or 365(a) of any PCT into America, listed below and have also i or of any PCT international application	ernational application	on which designated at lea checking the box, any forei e before that of the applicat	gn application for ion on which pri	r patent or inventor ority is claimed.	r's certificate,				
certificate, or 365(a) of any PCT into America, listed below and have also i or of any PCT international application Prior Foreign Application	ernational application dentified below, by the having a filing date	on which designated at lea checking the box, any foreing before that of the applicate Foreign Filing Date	gn application for ion on which pri	r patent or inventor ority is claimed. Certified Copy	r's certificate,				
certificate, or 365(a) of any PCT into America, listed below and have also i or of any PCT international application Prior Foreign Application	ernational application dentified below, by the having a filing date	on which designated at lea checking the box, any foreing before that of the applicate Foreign Filing Date	gn application for ion on which pri	r patent or inventor ority is claimed. Certified Copy	r's certificate,				
certificate, or 365(a) of any PCT into America, listed below and have also i or of any PCT international application Prior Foreign Application	ernational application dentified below, by the having a filing date	on which designated at lea checking the box, any foreing before that of the applicate Foreign Filing Date	gn application for ion on which pri	r patent or inventor ority is claimed. Certified Copy	r's certificate,				
certificate, or 365(a) of any PCT international factor or of any PCT international application or of any PCT international application Number(s)	ernational application dentified below, by in having a filing date. Country	Foreign Filing Date (MM/DD/YYYY)	priority Not Claimed	r patent or inventor patent or inventor protect or inventor or inventor or ity is claimed. Certified Copy YES	y Attached? NO				
certificate, or 365(a) of any PCT into America, listed below and have also i or of any PCT international application Prior Foreign Application	creational application dentified below, by in having a filing date. Country The property of	on which designated at lea checking the box, any foreign before that of the applicate (MM/DD/YYYY)	Priority Not Claimed	r patent or inventor pratent or inventor pratent or inventor or inventor or ity is claimed. Certified Copy YES	y Attached? NO				
certificate, or 365(a) of any PCT international fave also in or of any PCT international application Prior Foreign Application Number(s) Additional foreign application num	creational application dentified below, by in having a filing date. Country Country Abers are listed on a U.S.C. 119(e) of an	on which designated at lea checking the box, any foreign before that of the applicate (MM/DD/YYYY)	Priority Not Claimed sheet PTO/SB/(application(s) list	r patent or inventor patent or inventor pratent or inventor prity is claimed. Certified Copy YES Description of the present	y Attached? NO				
certificate, or 365(a) of any PCT international fave also in or of any PCT international application application number(s) Additional foreign application num is hereby claim the benefit under 35	creational application dentified below, by in having a filing date. Country Country Abers are listed on a U.S.C. 119(e) of an	Foreign Filing Date (MM/DD/YYYY) a supplemental priority data by United States provisional	Priority Not Claimed sheet PTO/SB// application(s) Is: Additi	r patent or inventor patent or inventor pratent or inventor or inventor or ity is claimed. Certified Copy YES Date of the company of the co	y Attached? NO application				
certificate, or 365(a) of any PCT international fave also in or of any PCT international application application number(s) Additional foreign application num is hereby claim the benefit under 35	creational application dentified below, by in having a filing date. Country Country Abers are listed on a U.S.C. 119(e) of an	Foreign Filing Date (MM/DD/YYYY) a supplemental priority data by United States provisional	Priority Not Claimed Sheet PTO/SB// application(s) li	repatent or inventor patent or inventor present or inventor or inventor or inventor or ity is claimed. Certified Copy YES Description of the control of th	y Attached? NO application				
certificate, or 365(a) of any PCT international fave also in or of any PCT international application application number(s) Additional foreign application num is hereby claim the benefit under 35	creational application dentified below, by in having a filing date. Country Country Abers are listed on a U.S.C. 119(e) of an	Foreign Filing Date (MM/DD/YYYY) a supplemental priority data by United States provisional	priority Not Claimed Sheet PTO/SB/ application(s) li	r patent or inventor patent or inventor pratent or inventor or inventor or ity is claimed. Certified Copy YES Date of the company of the co	y Attached? NO application a data sheet				

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

:=

Please type a plus sign (+) inside this box ->	+

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1 56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.													
U.S. Parent Application or PCT Parent Number					Parent Filing Date Parent (MM/DD/YYYY)				arent Patent Number (if applicable)				
													
Additional	U.S. or PO	T international	applicate	on numb	ers are	listed on	a supp	lement	al priority data	sheet PT	O/SB/0	2B attached he	ereto.
As a named inve												t all business i	n the Patent
and Trademark	Office cor	nected therewi		Custome	r Numb	er				→	٠	Place Custo Number Bar	
				<i>OR</i> Registere	ed pract	itioner(s)	name	registra	ition number lis	ted belov	, L	Label her	е
					Registra	ation			Nam				tration
N 4"	Name				Numb				14601			Nui	nber
		Shara			39,3							j	
How	ard H	. Sheerin			37,9	938							
Additional r	egistered	practitioner(s)	named o	n suppler	nental F	Registere	Prac	titioner	Information she	et PTO/	SB/02C	attached here	to.
Direct all corn				er Numi	Г								
Dirock air com	ооролао	large and the same		Code La					OR	E CO	rrespo	ndence addr	ess below
Name	Milad	G. Shara											
Address	WES	TERN DIGIT	TAL CO	RPOR	ATIO	N							
Address	8105	Irvine Cente	er Drive	e, Plaza	a 3								
City	Irvine)						tate	California	ZIP	926		
Country	U.S.	A.		Tele	ephon	е	(949	932-	5676	Fax	(94	9) 932-5633	3
believed to be punishable by	true; and fine or in	statements may further that the approximent, or assued thereon	ese state both, u	omonte u	vere ma	ade with	he kr	nhelwn	e that willtul ta	ise state	ments	and the like s	o made are
Name of S	ole or F	irst Invento	or:					A petit	ion has been	filed fo	r this u	nsigned inve	entor
G	iven Nan	ne (first and n	niddle fi	f anvl)					Famil	v Name	or Su	mame	
WALTER					· · · · · · · · · · · · · · · · · · ·		BUTLER						
Inventor's Signature		W	al	7		Bi	n	A				Date	9/22/0
Residence:	Residence: City SCOTTS VALLEY State CA					CA		Country	v	USA		Citizenship	USA
Post Office A	ddress	300 HACIE	ENDA I	OR									
Post Office A													
City		SCOTTS VALLEY	State	(CA	ZIF	,		5066	Cou	intry	US	SA
□Additiona	Linvento		named o	n the	Sur	oolemen	tal Ac	lditiona	al Inventor(s)	sheet(s) PTO	SB/02A atta	ched heret